ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

	SECTION A PRO				FOR INSURANCE COMPANY USE
	POLICY NUMBER				
BUILDING OWNER'S NAME COMMENT OF COMMENT STREET ADDRESS (Including Apt.	COMPANY NAIC NUMBER				
STREET ADDRESS (Including Apt. 485 Harb	or Drive S	outh			
OTHER DESCRIPTION (Lot and BI	ock Numbers, etc.),	Addi	tion Rerevis	sed Map	zip CODE
CITY	ocks Bea	264		Fl	34635
+1,500	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATIO	N .
Provide the following from th	e proper FIRM (See	Instructions):		· \	
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
רוו פנו	0004	13	3-84	A-11	10.00
7. Indicate the elevation dat B. For Zones A or V, where the community's BFE:					29 Other (describe on back) E for this building site, indicate
/			ING ELEVATION INFOR		19
of L. 2 fee (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below Check one) (d). FIRM Zone AO. The one) the highest grade level) elevated in accomments on Pathe FIRM [see Section equation under Comments on Pathe FIRM [see Section equa	et NGVD (or other Flive, and V (with BFE is at an elevation of the BFE). The floor used in the highest grade at the highest grade at the endiance with the contact at the system used in the end of th	RM datum—see E). The bottom ed as the refere adjacent to the ference level fro Iding. If no floo munity's flood determining the e elevation data evert the elevat FIRM: Yes actual cons by valid if the bi building during te.) ely adjacent to	of the lowest horizontal solution of the lowest horizontal solution of the lowest horizontal solution of the select building. The selected diagram of depth number is available above reference level of the above reference level of the datum system. The No (See Instructions of the course of construction of the course of construction of the course of construction of the building is:	structural members RM datum—see ded diagram is listed diagram is listed diagram is listed energy and the reference between the reference listed diagram is con Page 4) in drawings the reference listed diagram is con Page 4. In A post-consisted diagram is listed energy and the reference listed diagram is listed diagram i	et above or below (check
			COMMUNITY INFORMA		At diseased in Continuo C. Hom 1
	" as defined in the co e ordinance is:		et NGVD (or other FIRM	1011001	
FEMA Form 81-31, MAY 9)	REPL	ACES ALL PREVIOUS EDITIO	NS	SEE REVERSE SIDE FOR CONTINUATION APR 1 1996
					CITY OF INDIAN ROCKS BEACH


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.


CERTIFIER'S NAME Ramson	LICEN	SE NUMBER (or Affix Seal)	< % →	irta — Britoton annia.
Protessione, Engineer	COMPANY NAME			
ADDRESS 103 Kinner Blv.	Dunedin		Fl.	STATE ZIF 34628
SIGNATURE () Comments of the	3	DATE -96	PHONE 8/3	734-7020
Copies should be made of this Certificate for: 1) con	nmunity official, 2) ir	nsurance agent/comp	any, and	3) building owner.
COMMENTS:	/ .		/	
14. 14. 15. 18. 18. 18. 18. 18. 18. 18. 18. 18. 18	·			
111+111		•		



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all VZones should be measured at the bottom of the lowest horizontal structural member.



a