U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY

ELEVATION CERTIFICATE

IMPORTANT: Follow the instructions on pages 1-9.

National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: July 31, 2015

				INFORMAT	1011	ASSESSMENT OF STREET	INCE COMPANY USE
A2. Building Street Addr 91 The Cov	11. Building Owner's Name Taylor Morrison of Florida, Inc						
	A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or PO. Route and Box No. 91 The Cove Way (Building 6)						2 Number:
City Indian Rocks Beach State FL						IP Code 33	785
3. Property Description	(Lot and Block Nu	mbers, Tax Parcel Num ch, PB 139 Pages 4	ber, Legal Descript 3-45	tion, etc.)	es and digente. 96 de hora mu		We now the major of the second
Lot 33 Cove at Ir A4. Building Use (e.g., F A5. Latitude/Longitude: A6. Attach at least 2 ph A7. Building Diagram Nu A8. For a building with a a) Square footage o b) No. of permanen enclosure(s) with c) Total net area of d) Engineered flood B1. NFIP Community Nar City of Indian B4. Map/Panel Number 12103C0113 B10. Indicate the source	tesidential, Non-Re Lat. N 27° 53' 10 otographs of the bumber 7 crawlspace or end of crawlspace or end of crawlspace or end of dopenings in a dopenings? SECT The & Community N Rocks Beach B5. Suffix G of the Base Flood	ch, PB 139 Pages 4 sidential, Addition, Acco 0.7" Lo uilding if the Certificate closure(s): aclosure(s) the crawlspace or adjacent grade A8.b Yes No TON B - FLOOD INS umber 125117 B6. FIRM Index Date 08/18/2009 Elevation (BFE) data or unity Determined	essory, etc.) Resigner. W 82° 50′ 50′ 50′ 50′ 50′ 50′ 50′ 50′ 50′ 50′	dental 6.5" A9. For a a) S b) N w c) T d) E MAP (FIR me Pinella ate 2003	building with an att quare footage of at lumber of permaner rithin 1.0 foot above otal net area of floot ingineered flood ope (RM) INFORMATIONS B8. Flood Zone(s	tached garaget flood openit adjacent grad openings in enings?	e: e <u>N/A</u> sq ft ings in the attached garage ade <u>N/A</u>
11. Indicate elevation da 12. Is the building locate							⊠ No
Designation Date:			☐ OPA	o la		CONTROL WA	
ALMARETTI E	SECTIO	N C – BUILDING EL	EVATION INFOR	RMATION (SURVEY REQUIR	RED)	101 7015 11150 12 0011
	L4 ADD AC ALL A	With DEEL VE 14 1/00	n of the building is		AD/A4 A20 AD/A	U AD/AO O-	omnieta Itomo
C2.a-h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom floo b) Top of the next h c) Bottom of the low	ding to the building Box on GI Near atum used for the eding elevations must or (including basen igher floor vest horizontal stru	(with BFE), VE, V1–V30, diagram specified in It PC OPP Lot 42 Electronic Elevations in items a) the state that the same as that ment, crawispace, or encountered member (V Zone	, V (with BFE), AR, em A7. In Puerto F v = 4.79' Vertica rough h) below. [used for the BFE. closure floor)	AR/A, AR/AE Rico only, ent al Datum: N NGVD 192 6 2 17 3 N/A	Page	Other/So easurement meters meters	ource: used. s s
C2.a-h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom flot b) Top of the next h c) Bottom of the lov d) Attached garage	ding to the building Box on GI Near atum used for the eding elevations muser (including basen igher floor vest horizontal stru (top of slab)	diagram specified in It PC OPP Lot 42 Elerelevations in items a) the state that the same as that ment, crawlspace, or encural member (V Zone	, V (with BFE), AR, em A7. In Puerto F v = 4.79' Vertice rough h) below. [used for the BFE. closure floor) s only)	AR/A, AR/AE Rico only, ent al Datum: N NGVD 192 6 2 17 3 N/A N/A	29 NAVD 1988 Check the m feet feet feet	Other/So easurement meters meters meters	ource: used. s s
C2.a—h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom floo b) Top of the next h c) Bottom of the low d) Attached garage e) Lowest elevation (Describe type of f) Lowest adjacent g) Highest adjacent	ding to the building Box on GI Near atum used for the eding elevations mustor (including basen igher floor vest horizontal structop of slab) of machinery or equipment and loc (finished) grade nei (finished) grade nei grade at lowest elegated	diagram specified in It PC OPP Lot 42 Elevations in items a) the state that the same as that ment, crawlspace, or encurred member (V Zone quipment servicing the location in Comments) at to building (LAG)	, V (with BFE), AR, em A7. In Puerto F em A7. In Puerto F v = 4.79' Vertica rough h) below. [used for the BFE. closure floor) s only) building	AR/A, AR/AE Rico only, ent al Datum: N NGVD 192 6 2 17 3 N/A	Page	Other/So easurement meters meters meters meters meters	ource:
C2.a—h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom floo b) Top of the next h c) Bottom of the low d) Attached garage e) Lowest elevation (Describe type of f) Lowest adjacent h) Lowest adjacent	ding to the building Box on GI Near stum used for the eding elevations musor (including basen igher floor vest horizontal stru (top of slab) of machinery or eq equipment and loc (finished) grade ne (finished) grade ne grade at lowest elect	diagram specified in It PC OPP Lot 42 Elevations in items a) the state the same as that ment, crawlspace, or encurred member (V Zone diagrams and the location in Comments) at to building (LAG) ext to building (HAG)	y (with BFE), AR, em A7. In Puerto F v = 4.79' Vertica rough h) below. [used for the BFE. closure floor) s only) building s, including	AR/A, AR/AE Rico only, ent al Datum: N NGVD 192 6 2 17 3 N/A N/A 11 6 5 7 6 0 N/A	Control Cont	Other/So easurement meters meters meters meters meters meters	ource:
C2.a-h below accord Benchmark Utilized: Indicate elevation de Datum used for build a) Top of bottom flow b) Top of the next h c) Bottom of the low d) Attached garage e) Lowest elevation (Describe type of f) Lowest adjacent g) Highest adjacent h) Lowest adjacent structural support is certification is to be sometiments control of the comments check here if comments Check here if attachmer certifier's Name cott R. Fowler itte	ding to the building Box on GI Near Box on GI Near atum used for the eding elevations mustor (including basen igher floor vest horizontal structor (top of slab) of machinery or equipment and loc (finished) grade nei (finished) grade nei grade at lowest elet t SECTI igned and sealed to the information on the statement may be a are provided on bots.	diagram specified in It PC OPP Lot 42 Elevations in items a) the state the same as that the state the same as that the state t	v (with BFE), AR, em A7. In Puerto Fem A7. In Pu	AR/A, AR/AE Rico only, ent al Datum: N INGVD 192 6 2 17 3 N/A N/A 11 6 5 7 6 0 N/A RARCHITE Buthorized by to interpret the 18 U.S. Cod tude in Sect 2 Incense 5185 ring & Surv	cer meters. AVD 1988 Check the m Check the m Get Get Get Get Get More feet No feet No No Number AND 1988 Check the m And feet More feet No feet No feet CT CERTIFICATI Law to certify elevate data available. Le, Section 1001. Lion A provided by a No Number Leying Corporation	Other/So easurement meters meters meters meters meters meters meters meters	ource:
C2.a—h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom floo b) Top of the next h c) Bottom of the low d) Attached garage e) Lowest elevation (Describe type of f) Lowest adjacent h) Lowest adjacent	ding to the building Box on GI Near Box on GI Near stum used for the eding elevations mustor (including basen igher floor vest horizontal structor (top of slab) of machinery or eding equipment and loc (finished) grade neight (finished) grade neight elevation on the statement may be a are provided on bits.	diagram specified in It PC OPP Lot 42 Elevations in items a) the st be the same as that the st be stated in Comments) and the st to building (LAG) exation of deck or stairs to building (HAG) exation of	v (with BFE), AR, em A7. In Puerto Fem A7. In Pu	AR/A, AR/AB Rico only, ent al Datum: N INGVD 192 6 2 17 3 N/A N/A 11 6 5 7 6 0 N/A R ARCHITE Buthorized by to interpret the 18 U.S. Cod tude in Sect 2 License 5185	cer meters. AVD 1988 Check the m Check the m Get Get Get Get Get CT CERTIFICATI Law to certify elevate data available. e, Section 1001. ion A provided by a No Number	Other/So easurement meters meters meters meters meters meters meters meters	used. s s s s s s s s s s s s s s s s s s s

ELEVATION CERTIFICATE, page 2

ELEVATION OF MILE, Page 2				
IMPORTANT: In these spaces, copy the corres		and the same of th		FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Sui 91 The Cove Way (Building 6)	ite, and/or Bldg. No.) or PO.	Route and Box No.		Policy Number:
City Indian Rocks Beach	State FL	ZIP Code 33785		Company NAIC Number:
SECTION D - SU	RVEYOR, ENGINEER, OF	R ARCHITECT CEI	RTIFICATION (CO	ONTINUED)
Copy both sides of this Elevation Certificate for	(1) community official, (2) ins	surance agent/compa	any, and (3) building	owner.
Vents (model 1540-510) in the enclosure	and held GPS device. The equip	oment referenced in C20 200 square feet; 3 Floo	e is the water heater, I	21/2015. ocated inside the structure. Venting 4 Smals s (model FS-1616) in the enclosure's wall, e enclosure has an area with a floor elevatio
Signature Sutt Rrowl		Date 09/22/2	015	un en
SECTION E - BUILDING ELEVATION	INFORMATION (SURVE)	NOT REQUIRED) FOR ZONE AO	AND ZONE A (WITHOUT BFE)
For Zones AO and A (without BFE), complete Item For Items E1–E4, use natural grade, if available.	Check the measurement use	ed. In Puerto Rico on	ly, enter meters.	The second second
E1. Provide elevation information for the following grade (HAG) and the lowest adjacent grade (La) Top of bottom floor (including basement, c	_AG).	boxes to show wheth	ner the elevation is:	
b) Top of bottom floor (including basement, ci	70.00		☐ feet ☐ meter	
E2. For Building Diagrams 6-9 with permanent flo	ood openings provided in Se	ction A Items 8 and/	or 9 (see pages 8-9	
the next higher floor (elevation C2.b in the dia	agrams) of the building is		feet meter	s above or below the HAG.
E3. Attached garage (top of slab) is			☐ feet ☐ meter	
E4. Top of platform of machinery and/or equipme			☐ feet ☐ meter	
E5. Zone A0 only: If no flood depth number is ava ordinance? ☐ Yes ☐ No ☐ Unknown. T	ailable, is the top of the botto The local official must certify			community's floodplain management
	PERTY OWNER (OR OV			
The property owner or owner's authorized represe Zone AO must sign here. The statements in Secti	entative who completes Sections A. B. and F. are correct t	ions A, B, and E for Z	Zone A (without a FE	MA-issued or community-issued BFE) o
Property Owner or Owner's Authorized Representa		and added they have	, modgo.	- 1 II II II
Address		City	Stat	e ZIP Code
Signature	******	Date	Tele	phone
Comments	H - H		ii ir.	
				☐ Check here if attachments.
SE	CTION G - COMMUNITY	/ INFORMATION	(ODTIONAL)	
The local official who is authorized by law or ordinat G of this Elevation Certificate. Complete the applica G1. The information in Section C was taken who is authorized by law to certify elevated.	able item(s) and sign below. (from other documentation t	Check the measurements hat has been signed	ent used in Items G8 I and sealed by a lic	3–G10. In Puerto Rico only, enter meters
G2. ☐ A community official completed Section E G3. ☐ The following information (Items G4–G9)	for a building located in Zo	ne A (without a FEMA	A-issued or commun	
G4. Permit Number G5	5. Date Permit Issued	G6. [Date Certificate Of C	compliance/Occupancy Issued
	_	ntial Improvement		' <u> </u>
G8. Elevation of as-built lowest floor (including ba	· -		☐ feet ☐ meters	
G9. BFE or (in Zone AO) depth of flooding at the t	building site:		feet meters	
G10. Community's design flood elevation:	-	··	feet meters	s Datum
Local Official's Name		Title		10
Community Name	<u> </u>	Telephone		
Signature		Date		
Comments			97	
				☐ Check here if attachments.

ELEVATION CERTIFICATE, page 3

BUILDING PHOTOGRAPHS

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the co	FOR INSURANCE COMPANY USE Policy Number:		
Building Street Address (including Apt., Unit 91 The Cove Way (Building 6)			
City Indian Rocks Beach	State FL	ZIP Code 33785	Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



